

## Commercial Industrial and General Service Customers

Effective January 8, 2020

| PG&E EQUIVALENT SCHEDULE | MBCP RATE SCHEDULE | CHARGE TYPE            | PERIOD     | MBchoice RATE (default) | MBprime RATE | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |
|--------------------------|--------------------|------------------------|------------|-------------------------|--------------|---------|---------------|---|--|----------------------|
| A-1-A                    | A-1-A              | ENERGY CHARGE (\$/KWH) | SUMMER     | 0.09831                 | 0.10831      | 0.02699 | 0.00066       | 0.12596   | 0.13596                                | 0.13336              |
|                          |                    |                        | WINTER     | 0.06098                 | 0.07098      | 0.02699 | 0.00066       | 0.08863   | 0.09863                                | 0.09322              |
| <b>SUMMER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| A-1-B                    | A-1-B              | ENERGY CHARGE (\$/KWH) | PEAK       | 0.11191                 | 0.12191      | 0.02699 | 0.00066       | 0.13956   | 0.14956                                | 0.14798              |
|                          |                    |                        | PART-PEAK  | 0.08991                 | 0.09991      | 0.02699 | 0.00066       | 0.11756   | 0.12756                                | 0.12433              |
| <b>WINTER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| <b>SUMMER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| A-6                      | A-6                | ENERGY CHARGE (\$/KWH) | PEAK       | 0.33488                 | 0.34488      | 0.02699 | 0.00066       | 0.36253   | 0.37253                                | 0.38774              |
|                          |                    |                        | PART-PEAK  | 0.11207                 | 0.12207      | 0.02699 | 0.00066       | 0.13972   | 0.14972                                | 0.14816              |
| <b>WINTER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| <b>SUMMER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| A-10-A-S                 | A-10-A             | ENERGY CHARGE (\$/KWH) | SUMMER     | 0.08728                 | 0.09728      | 0.02810 | 0.00069       | 0.11607   | 0.12607                                | 0.12264              |
|                          |                    |                        | WINTER     | 0.06188                 | 0.07188      | 0.02810 | 0.00069       | 0.09067   | 0.10067                                | 0.09533              |
| DEMAND CHARGE (\$/KW)    |                    |                        | SUMMER MAX | 5.33820                 | 5.33820      | 0.00    | 0.00          | 5.33820   | 5.33820                                | 5.74                 |
| A-10-A-P                 | A-10-A-P           | ENERGY CHARGE (\$/KWH) | SUMMER     | 0.07831                 | 0.08831      | 0.02810 | 0.00069       | 0.10710   | 0.11710                                | 0.11299              |
|                          |                    |                        | WINTER     | 0.05622                 | 0.06622      | 0.02810 | 0.00069       | 0.08501   | 0.09501                                | 0.08924              |
| DEMAND CHARGE (\$/KW)    |                    |                        | SUMMER MAX | 4.65930                 | 4.65930      | 0.00    | 0.00          | 4.65930   | 4.65930                                | 5.01                 |
| A-10-A-T                 | A-10-A-T           | ENERGY CHARGE (\$/KWH) | SUMMER     | 0.06954                 | 0.07954      | 0.02810 | 0.00069       | 0.09833   | 0.10833                                | 0.10356              |
|                          |                    |                        | WINTER     | 0.05022                 | 0.06022      | 0.02810 | 0.00069       | 0.07901   | 0.08901                                | 0.08279              |
| DEMAND CHARGE (\$/KW)    |                    |                        | SUMMER MAX | 3.68280                 | 3.68280      | 0.00    | 0.00          | 3.68280   | 3.68280                                | 3.96                 |
| <b>SUMMER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| A-10-B-S                 | A-10-B             | ENERGY CHARGE (\$/KWH) | PEAK       | 0.13729                 | 0.14729      | 0.02810 | 0.00069       | 0.16608   | 0.17608                                | 0.17641              |
|                          |                    |                        | PART-PEAK  | 0.08602                 | 0.09602      | 0.02810 | 0.00069       | 0.11481   | 0.12481                                | 0.12128              |
| <b>WINTER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| <b>SUMMER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| DEMAND CHARGE (\$/KW)    |                    |                        | SUMMER MAX | 5.33820                 | 5.33820      | 0.00    | 0.00          | 5.33820   | 5.33820                                | 5.74                 |
| <b>SUMMER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| A-10-B-T                 | A-10-B-T           | ENERGY CHARGE (\$/KWH) | PEAK       | 0.11299                 | 0.12299      | 0.02810 | 0.00069       | 0.14178   | 0.15178                                | 0.15028              |
|                          |                    |                        | PART-PEAK  | 0.06939                 | 0.07939      | 0.02810 | 0.00069       | 0.09818   | 0.10818                                | 0.10340              |
| <b>WINTER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| <b>SUMMER</b>            |                    |                        |            |                         |              |         |               |   |  |                      |
| DEMAND CHARGE (\$/KW)    |                    |                        | SUMMER MAX | 3.68280                 | 3.68280      | 0.00    | 0.00          | 3.68280   | 3.68280                                | 3.96                 |

| PG&E EQUIVALENT SCHEDULE | MBCP RATE SCHEDULE | CHARGE TYPE            | PERIOD         | MBchoice RATE (default) | MBprime RATE | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |
|--------------------------|--------------------|------------------------|----------------|-------------------------|--------------|---------|---------------|---|--|----------------------|
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| A-10-B-P                 | A-10-B-P           | ENERGY CHARGE (\$/KWH) | PEAK           | 0.12615                 | 0.13615      | 0.02810 | 0.00069       | 0.15494   | 0.16494                                | 0.16444              |
|                          |                    |                        | PART-PEAK      | 0.07913                 | 0.08913      | 0.02810 | 0.00069       | 0.10792   | 0.11792                                | 0.11388              |
|                          |                    |                        | OFF-PEAK       | 0.05438                 | 0.06438      | 0.02810 | 0.00069       | 0.08317   | 0.09317                                | 0.08726              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PART-PEAK      | 0.06639                 | 0.07639      | 0.02810 | 0.00069       | 0.09518   | 0.10518                                | 0.10018              |
|                          |                    |                        | OFF-PEAK       | 0.05162                 | 0.06162      | 0.02810 | 0.00069       | 0.08041   | 0.09041                                | 0.08430              |
|                          |                    | DEMAND CHARGE (\$/KW)  | SUMMER MAX     | 4.65930                 | 4.65930      | 0.00    | 0.00          | 4.65930   | 4.65930                                | 5.01                 |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-1                      | B-1                | ENERGY CHARGE (\$/KWH) | PEAK           | 0.13907                 | 0.14907      | 0.02699 | 0.00066       | 0.16672   | 0.17672                                | 0.17719              |
|                          |                    |                        | PART-PEAK      | 0.09329                 | 0.10329      | 0.02699 | 0.00066       | 0.12094   | 0.13094                                | 0.12796              |
|                          |                    |                        | OFF-PEAK       | 0.07394                 | 0.08394      | 0.02699 | 0.00066       | 0.10159   | 0.11159                                | 0.10716              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.08770                 | 0.09770      | 0.02699 | 0.00066       | 0.11535   | 0.12535                                | 0.12195              |
|                          |                    |                        | OFF-PEAK       | 0.07271                 | 0.08271      | 0.02699 | 0.00066       | 0.10036   | 0.11036                                | 0.10583              |
|                          |                    |                        | SUPER OFF-PEAK | 0.05744                 | 0.06744      | 0.02699 | 0.00066       | 0.08509   | 0.09509                                | 0.08941              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-6                      | B-6                | ENERGY CHARGE (\$/KWH) | PEAK           | 0.14373                 | 0.15373      | 0.02699 | 0.00066       | 0.17138   | 0.18138                                | 0.18220              |
|                          |                    |                        | OFF-PEAK       | 0.07754                 | 0.08754      | 0.02699 | 0.00066       | 0.10519   | 0.11519                                | 0.11103              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.08466                 | 0.09466      | 0.02699 | 0.00066       | 0.11231   | 0.12231                                | 0.11868              |
|                          |                    |                        | OFF-PEAK       | 0.06879                 | 0.07879      | 0.02699 | 0.00066       | 0.09644   | 0.10644                                | 0.10162              |
|                          |                    |                        | SUPER OFF-PEAK | 0.05352                 | 0.06352      | 0.02699 | 0.00066       | 0.08117   | 0.09117                                | 0.08520              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-10-S                   | B-10               | ENERGY CHARGE (\$/KWH) | PEAK           | 0.15965                 | 0.16965      | 0.02810 | 0.00069       | 0.18844   | 0.19844                                | 0.20046              |
|                          |                    |                        | PART-PEAK      | 0.10228                 | 0.11228      | 0.02810 | 0.00069       | 0.13107   | 0.14107                                | 0.13877              |
|                          |                    |                        | OFF-PEAK       | 0.07199                 | 0.08199      | 0.02810 | 0.00069       | 0.10078   | 0.11078                                | 0.10620              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.10568                 | 0.11568      | 0.02810 | 0.00069       | 0.13447   | 0.14447                                | 0.14242              |
|                          |                    |                        | OFF-PEAK       | 0.07268                 | 0.08268      | 0.02810 | 0.00069       | 0.10147   | 0.11147                                | 0.10694              |
|                          |                    |                        | SUPER OFF-PEAK | 0.03888                 | 0.04888      | 0.02810 | 0.00069       | 0.06767   | 0.07767                                | 0.07060              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-10-P                   | B-10-P             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.14780                 | 0.15780      | 0.02810 | 0.00069       | 0.17659   | 0.18659                                | 0.18772              |
|                          |                    |                        | PART-PEAK      | 0.09358                 | 0.10358      | 0.02810 | 0.00069       | 0.12237   | 0.13237                                | 0.12941              |
|                          |                    |                        | OFF-PEAK       | 0.06490                 | 0.07490      | 0.02810 | 0.00069       | 0.09369   | 0.10369                                | 0.09858              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.09699                 | 0.10699      | 0.02810 | 0.00069       | 0.12578   | 0.13578                                | 0.13308              |
|                          |                    |                        | OFF-PEAK       | 0.06571                 | 0.07571      | 0.02810 | 0.00069       | 0.09450   | 0.10450                                | 0.09945              |
|                          |                    |                        | SUPER OFF-PEAK | 0.03192                 | 0.04192      | 0.02810 | 0.00069       | 0.06071   | 0.07071                                | 0.06311              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-10-T                   | B-10-T             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.14041                 | 0.15041      | 0.02810 | 0.00069       | 0.16920   | 0.17920                                | 0.17977              |
|                          |                    |                        | PART-PEAK      | 0.08764                 | 0.09764      | 0.02810 | 0.00069       | 0.11643   | 0.12643                                | 0.12303              |
|                          |                    |                        | OFF-PEAK       | 0.05968                 | 0.06968      | 0.02810 | 0.00069       | 0.08847   | 0.09847                                | 0.09296              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.09107                 | 0.10107      | 0.02810 | 0.00069       | 0.11986   | 0.12986                                | 0.12672              |
|                          |                    |                        | OFF-PEAK       | 0.06054                 | 0.07054      | 0.02810 | 0.00069       | 0.08933   | 0.09933                                | 0.09389              |
|                          |                    |                        | SUPER OFF-PEAK | 0.02675                 | 0.03675      | 0.02810 | 0.00069       | 0.05554   | 0.06554                                | 0.05755              |

| PG&E EQUIVALENT SCHEDULE | MBCP RATE SCHEDULE | CHARGE TYPE            | PERIOD         | MBchoice RATE (default) | MBprime RATE | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |
|--------------------------|--------------------|------------------------|----------------|-------------------------|--------------|---------|---------------|---|--|----------------------|
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-19-S                   | B-19-S             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.10473                 | 0.11473      | 0.02653 | 0.00065       | 0.13191   | 0.14191                                | 0.13979              |
|                          |                    |                        | PART-PEAK      | 0.07683                 | 0.08683      | 0.02653 | 0.00065       | 0.10401   | 0.11401                                | 0.10979              |
|                          |                    |                        | OFF-PEAK       | 0.05709                 | 0.06709      | 0.02653 | 0.00065       | 0.08427   | 0.09427                                | 0.08857              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.08700                 | 0.09700      | 0.02653 | 0.00065       | 0.11418   | 0.12418                                | 0.12073              |
|                          |                    |                        | OFF-PEAK       | 0.05701                 | 0.06701      | 0.02653 | 0.00065       | 0.08419   | 0.09419                                | 0.08848              |
|                          |                    |                        | SUPER OFF-PEAK | 0.01677                 | 0.02677      | 0.02653 | 0.00065       | 0.04395   | 0.05395                                | 0.04521              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK           | 13.97790                | 13.97790     | 0.00    | 0.00          | 13.97790  | 13.97790                               | 15.03                |
|                          |                    |                        | PART-PEAK      | 2.03670                 | 2.03670      | 0.00    | 0.00          | 2.03670   | 2.03670                                | 2.19                 |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 1.66470                 | 1.66470      | 0.00    | 0.00          | 1.66470   | 1.66470                                | 1.79                 |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-19-P                   | B-19-P             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.08921                 | 0.09921      | 0.02653 | 0.00065       | 0.11639   | 0.12639                                | 0.12311              |
|                          |                    |                        | PART-PEAK      | 0.06816                 | 0.07816      | 0.02653 | 0.00065       | 0.09534   | 0.10534                                | 0.10047              |
|                          |                    |                        | OFF-PEAK       | 0.04985                 | 0.05985      | 0.02653 | 0.00065       | 0.07703   | 0.08703                                | 0.08078              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.07780                 | 0.08780      | 0.02653 | 0.00065       | 0.10498   | 0.11498                                | 0.11084              |
|                          |                    |                        | OFF-PEAK       | 0.04997                 | 0.05997      | 0.02653 | 0.00065       | 0.07715   | 0.08715                                | 0.08091              |
|                          |                    |                        | SUPER OFF-PEAK | 0.01036                 | 0.02036      | 0.02653 | 0.00065       | 0.03754   | 0.04754                                | 0.03832              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK           | 11.87610                | 11.87610     | 0.00    | 0.00          | 11.87610  | 11.87610                               | 12.77                |
|                          |                    |                        | PART-PEAK      | 1.73910                 | 1.73910      | 0.00    | 0.00          | 1.73910   | 1.73910                                | 1.87                 |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 1.21830                 | 1.21830      | 0.00    | 0.00          | 1.21830   | 1.21830                                | 1.31                 |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-19-T                   | B-19-T             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.07598                 | 0.08598      | 0.02653 | 0.00065       | 0.10316   | 0.11316                                | 0.10888              |
|                          |                    |                        | PART-PEAK      | 0.06746                 | 0.07746      | 0.02653 | 0.00065       | 0.09464   | 0.10464                                | 0.09972              |
|                          |                    |                        | OFF-PEAK       | 0.04934                 | 0.05934      | 0.02653 | 0.00065       | 0.07652   | 0.08652                                | 0.08023              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.07712                 | 0.08712      | 0.02653 | 0.00065       | 0.10430   | 0.11430                                | 0.11010              |
|                          |                    |                        | OFF-PEAK       | 0.04957                 | 0.05957      | 0.02653 | 0.00065       | 0.07675   | 0.08675                                | 0.08048              |
|                          |                    |                        | SUPER OFF-PEAK | 0.00906                 | 0.01906      | 0.02653 | 0.00065       | 0.03624   | 0.04624                                | 0.03692              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK           | 8.99310                 | 8.99310      | 0.00    | 0.00          | 8.99310   | 8.99310                                | 9.67                 |
|                          |                    |                        | PART-PEAK      | 2.25060                 | 2.25060      | 0.00    | 0.00          | 2.25060   | 2.25060                                | 2.42                 |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.86490                 | 0.86490      | 0.00    | 0.00          | 0.86490   | 0.86490                                | 0.93                 |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-19-R-S, B-19-S-S       | B-19-R-S, B-19-S-S | ENERGY CHARGE (\$/KWH) | PEAK           | 0.22281                 | 0.23281      | 0.02653 | 0.00065       | 0.24999   | 0.25999                                | 0.26676              |
|                          |                    |                        | PART-PEAK      | 0.09673                 | 0.10673      | 0.02653 | 0.00065       | 0.12391   | 0.13391                                | 0.13119              |
|                          |                    |                        | OFF-PEAK       | 0.06092                 | 0.07092      | 0.02653 | 0.00065       | 0.08810   | 0.09810                                | 0.09268              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.10021                 | 0.11021      | 0.02653 | 0.00065       | 0.12739   | 0.13739                                | 0.13493              |
|                          |                    |                        | OFF-PEAK       | 0.06086                 | 0.07086      | 0.02653 | 0.00065       | 0.08804   | 0.09804                                | 0.09262              |
|                          |                    |                        | SUPER OFF-PEAK | 0.02755                 | 0.03755      | 0.02653 | 0.00065       | 0.05473   | 0.06473                                | 0.05680              |

| PG&E EQUIVALENT SCHEDULE | MBCP RATE SCHEDULE | CHARGE TYPE            | PERIOD         | MBchoice RATE (default) | MBprime RATE | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |
|--------------------------|--------------------|------------------------|----------------|-------------------------|--------------|---------|---------------|---|--|----------------------|
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-19-R-P, B-19-S-P       | B-19-R-P, B-19-S-P | ENERGY CHARGE (\$/KWH) | PEAK           | 0.20077                 | 0.21077      | 0.02653 | 0.00065       | 0.22795   | 0.23795                                | 0.24306              |
|                          |                    |                        | PART-PEAK      | 0.08588                 | 0.09588      | 0.02653 | 0.00065       | 0.11306   | 0.12306                                | 0.11952              |
|                          |                    |                        | OFF-PEAK       | 0.05296                 | 0.06296      | 0.02653 | 0.00065       | 0.08014   | 0.09014                                | 0.08413              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.08808                 | 0.09808      | 0.02653 | 0.00065       | 0.11526   | 0.12526                                | 0.12189              |
|                          |                    |                        | OFF-PEAK       | 0.05307                 | 0.06307      | 0.02653 | 0.00065       | 0.08025   | 0.09025                                | 0.08424              |
|                          |                    |                        | SUPER OFF-PEAK | 0.01975                 | 0.02975      | 0.02653 | 0.00065       | 0.04693   | 0.05693                                | 0.04842              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-19-R-T, B-19-S-T       | B-19-R-T, B-19-S-T | ENERGY CHARGE (\$/KWH) | PEAK           | 0.16796                 | 0.17796      | 0.02653 | 0.00065       | 0.19514   | 0.20514                                | 0.20778              |
|                          |                    |                        | PART-PEAK      | 0.09216                 | 0.10216      | 0.02653 | 0.00065       | 0.11934   | 0.12934                                | 0.12628              |
|                          |                    |                        | OFF-PEAK       | 0.05296                 | 0.06296      | 0.02653 | 0.00065       | 0.08014   | 0.09014                                | 0.08413              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.08448                 | 0.09448      | 0.02653 | 0.00065       | 0.11166   | 0.12166                                | 0.11802              |
|                          |                    |                        | OFF-PEAK       | 0.05316                 | 0.06316      | 0.02653 | 0.00065       | 0.08034   | 0.09034                                | 0.08434              |
|                          |                    |                        | SUPER OFF-PEAK | 0.01985                 | 0.02985      | 0.02653 | 0.00065       | 0.04703   | 0.05703                                | 0.04852              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-20-S                   | B-20-S             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.10088                 | 0.11088      | 0.02561 | 0.00060       | 0.12709   | 0.13709                                | 0.13468              |
|                          |                    |                        | PART-PEAK      | 0.07540                 | 0.08540      | 0.02561 | 0.00060       | 0.10161   | 0.11161                                | 0.10729              |
|                          |                    |                        | OFF-PEAK       | 0.05529                 | 0.06529      | 0.02561 | 0.00060       | 0.08150   | 0.09150                                | 0.08566              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.08570                 | 0.09570      | 0.02561 | 0.00060       | 0.11191   | 0.12191                                | 0.11836              |
|                          |                    |                        | OFF-PEAK       | 0.05514                 | 0.06514      | 0.02561 | 0.00060       | 0.08135   | 0.09135                                | 0.08550              |
|                          |                    |                        | SUPER OFF-PEAK | 0.01417                 | 0.02417      | 0.02561 | 0.00060       | 0.04038   | 0.05038                                | 0.04145              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK           | 13.82910                | 13.82910     | 0.00    | 0.00          | 13.82910  | 13.82910                               | 14.87                |
|                          |                    |                        | PART-PEAK      | 2.00880                 | 2.00880      | 0.00    | 0.00          | 2.00880   | 2.00880                                | 2.16                 |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 1.76700                 | 1.76700      | 0.00    | 0.00          | 1.76700   | 1.76700                                | 1.90                 |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-20-P                   | B-20-P             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.09713                 | 0.10713      | 0.02402 | 0.00059       | 0.12174   | 0.13174                                | 0.12905              |
|                          |                    |                        | PART-PEAK      | 0.07053                 | 0.08053      | 0.02402 | 0.00059       | 0.09514   | 0.10514                                | 0.10045              |
|                          |                    |                        | OFF-PEAK       | 0.05198                 | 0.06198      | 0.02402 | 0.00059       | 0.07659   | 0.08659                                | 0.08050              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.08020                 | 0.09020      | 0.02402 | 0.00059       | 0.10481   | 0.11481                                | 0.11085              |
|                          |                    |                        | OFF-PEAK       | 0.05203                 | 0.06203      | 0.02402 | 0.00059       | 0.07664   | 0.08664                                | 0.08056              |
|                          |                    |                        | SUPER OFF-PEAK | 0.01205                 | 0.02205      | 0.02402 | 0.00059       | 0.03666   | 0.04666                                | 0.03757              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK           | 14.98230                | 14.98230     | 0.00    | 0.00          | 14.98230  | 14.98230                               | 16.11                |
|                          |                    |                        | PART-PEAK      | 2.05530                 | 2.05530      | 0.00    | 0.00          | 2.05530   | 2.05530                                | 2.21                 |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 1.72050                 | 1.72050      | 0.00    | 0.00          | 1.72050   | 1.72050                                | 1.85                 |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-20-T                   | B-20-T             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.08032                 | 0.09032      | 0.02259 | 0.00053       | 0.10344   | 0.11344                                | 0.10949              |
|                          |                    |                        | PART-PEAK      | 0.06402                 | 0.07402      | 0.02259 | 0.00053       | 0.08714   | 0.09714                                | 0.09196              |
|                          |                    |                        | OFF-PEAK       | 0.04582                 | 0.05582      | 0.02259 | 0.00053       | 0.06894   | 0.07894                                | 0.07239              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.07953                 | 0.08953      | 0.02259 | 0.00053       | 0.10265   | 0.11265                                | 0.10864              |
|                          |                    |                        | OFF-PEAK       | 0.04253                 | 0.05253      | 0.02259 | 0.00053       | 0.06565   | 0.07565                                | 0.06885              |
|                          |                    |                        | SUPER OFF-PEAK | 0.00558                 | 0.01558      | 0.02259 | 0.00053       | 0.02870   | 0.03870                                | 0.02912              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK           | 16.84230                | 16.84230     | 0.00    | 0.00          | 16.84230  | 16.84230                               | 18.11                |
|                          |                    |                        | PART-PEAK      | 4.00830                 | 4.00830      | 0.00    | 0.00          | 4.00830   | 4.00830                                | 4.31                 |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 2.25060                 | 2.25060      | 0.00    | 0.00          | 2.25060   | 2.25060                                | 2.42                 |

| PG&E EQUIVALENT SCHEDULE | MBCP RATE SCHEDULE | CHARGE TYPE            | PERIOD         | MBchoice RATE (default) | MBprime RATE | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |
|--------------------------|--------------------|------------------------|----------------|-------------------------|--------------|---------|---------------|---|--|----------------------|
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-20-R-S, B-20-S-S       | B-20-R-S, B-20-S-S | ENERGY CHARGE (\$/KWH) | PEAK           | 0.21765                 | 0.22765      | 0.02561 | 0.00060       | 0.24386   | 0.25386                                | 0.26024              |
|                          |                    |                        | PART-PEAK      | 0.09419                 | 0.10419      | 0.02561 | 0.00060       | 0.12040   | 0.13040                                | 0.12749              |
|                          |                    |                        | OFF-PEAK       | 0.05935                 | 0.06935      | 0.02561 | 0.00060       | 0.08556   | 0.09556                                | 0.09003              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.09989                 | 0.10989      | 0.02561 | 0.00060       | 0.12610   | 0.13610                                | 0.13362              |
|                          |                    |                        | OFF-PEAK       | 0.05922                 | 0.06922      | 0.02561 | 0.00060       | 0.08543   | 0.09543                                | 0.08989              |
|                          |                    |                        | SUPER OFF-PEAK | 0.02597                 | 0.03597      | 0.02561 | 0.00060       | 0.05218   | 0.06218                                | 0.05414              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-20-R-P, B-20-S-P       | B-20-R-P, B-20-S-P | ENERGY CHARGE (\$/KWH) | PEAK           | 0.20753                 | 0.21753      | 0.02402 | 0.00059       | 0.23214   | 0.24214                                | 0.24776              |
|                          |                    |                        | PART-PEAK      | 0.08765                 | 0.09765      | 0.02402 | 0.00059       | 0.11226   | 0.12226                                | 0.11886              |
|                          |                    |                        | OFF-PEAK       | 0.05538                 | 0.06538      | 0.02402 | 0.00059       | 0.07999   | 0.08999                                | 0.08416              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.09268                 | 0.10268      | 0.02402 | 0.00059       | 0.11729   | 0.12729                                | 0.12427              |
|                          |                    |                        | OFF-PEAK       | 0.05543                 | 0.06543      | 0.02402 | 0.00059       | 0.08004   | 0.09004                                | 0.08421              |
|                          |                    |                        | SUPER OFF-PEAK | 0.02218                 | 0.03218      | 0.02402 | 0.00059       | 0.04679   | 0.05679                                | 0.04846              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| B-20-R-T, B-20-S-T       | B-20-R-T, B-20-S-T | ENERGY CHARGE (\$/KWH) | PEAK           | 0.20702                 | 0.21702      | 0.02259 | 0.00053       | 0.23014   | 0.24014                                | 0.24572              |
|                          |                    |                        | PART-PEAK      | 0.09669                 | 0.10669      | 0.02259 | 0.00053       | 0.11981   | 0.12981                                | 0.12709              |
|                          |                    |                        | OFF-PEAK       | 0.04996                 | 0.05996      | 0.02259 | 0.00053       | 0.07308   | 0.08308                                | 0.07684              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PEAK           | 0.09655                 | 0.10655      | 0.02259 | 0.00053       | 0.11967   | 0.12967                                | 0.12694              |
|                          |                    |                        | OFF-PEAK       | 0.04724                 | 0.05724      | 0.02259 | 0.00053       | 0.07036   | 0.08036                                | 0.07392              |
|                          |                    |                        | SUPER OFF-PEAK | 0.01674                 | 0.02674      | 0.02259 | 0.00053       | 0.03986   | 0.04986                                | 0.04112              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| E-19-S, V                | E-19-S             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.11220                 | 0.12220      | 0.02653 | 0.00065       | 0.13938   | 0.14938                                | 0.14782              |
|                          |                    |                        | PART-PEAK      | 0.06783                 | 0.07783      | 0.02653 | 0.00065       | 0.09501   | 0.10501                                | 0.10012              |
|                          |                    |                        | OFF-PEAK       | 0.03846                 | 0.04846      | 0.02653 | 0.00065       | 0.06564   | 0.07564                                | 0.06853              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PART-PEAK      | 0.06176                 | 0.07176      | 0.02653 | 0.00065       | 0.08894   | 0.09894                                | 0.09359              |
|                          |                    |                        | OFF-PEAK       | 0.04575                 | 0.05575      | 0.02653 | 0.00065       | 0.07293   | 0.08293                                | 0.07637              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK           | 13.83840                | 13.83840     | 0.00    | 0.00          | 13.83840  | 13.83840                               | 14.88                |
|                          |                    |                        | PART-PEAK      | 3.42240                 | 3.42240      | 0.00    | 0.00          | 3.42240   | 3.42240                                | 3.68                 |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
| E-19-P, V                | E-19-P             | ENERGY CHARGE (\$/KWH) | PEAK           | 0.10168                 | 0.11168      | 0.02653 | 0.00065       | 0.12886   | 0.13886                                | 0.13651              |
|                          |                    |                        | PART-PEAK      | 0.05981                 | 0.06981      | 0.02653 | 0.00065       | 0.08699   | 0.09699                                | 0.09149              |
|                          |                    |                        | OFF-PEAK       | 0.03289                 | 0.04289      | 0.02653 | 0.00065       | 0.06007   | 0.07007                                | 0.06255              |
| <b>WINTER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    |                        | PART-PEAK      | 0.05415                 | 0.06415      | 0.02653 | 0.00065       | 0.08133   | 0.09133                                | 0.08541              |
|                          |                    |                        | OFF-PEAK       | 0.03954                 | 0.04954      | 0.02653 | 0.00065       | 0.06672   | 0.07672                                | 0.06970              |
| <b>SUMMER</b>            |                    |                        |                |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK           | 12.31320                | 12.31320     | 0.00    | 0.00          | 12.31320  | 12.31320                               | 13.24                |
|                          |                    |                        | PART-PEAK      | 2.99460                 | 2.99460      | 0.00    | 0.00          | 2.99460   | 2.99460                                | 3.22                 |

| PG&E EQUIVALENT SCHEDULE | MBCP RATE SCHEDULE | CHARGE TYPE            | PERIOD    | MBchoice RATE (default) | MBprime RATE | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |
|--------------------------|--------------------|------------------------|-----------|-------------------------|--------------|---------|---------------|---|--|----------------------|
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-19-T, V                | E-19-T             | ENERGY CHARGE (\$/KWH) | PEAK      | 0.06228                 | 0.07228      | 0.02653 | 0.00065       | 0.08946   | 0.09946                                | 0.09415              |
|                          |                    |                        | PART-PEAK | 0.04855                 | 0.05855      | 0.02653 | 0.00065       | 0.07573   | 0.08573                                | 0.07938              |
|                          |                    |                        | OFF-PEAK  | 0.03036                 | 0.04036      | 0.02653 | 0.00065       | 0.05754   | 0.06754                                | 0.05983              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    |                        | PART-PEAK | 0.05070                 | 0.06070      | 0.02653 | 0.00065       | 0.07788   | 0.08788                                | 0.08170              |
|                          |                    |                        | OFF-PEAK  | 0.03674                 | 0.04674      | 0.02653 | 0.00065       | 0.06392   | 0.07392                                | 0.06669              |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK      | 13.54080                | 13.54080     | 0.00    | 0.00          | 13.54080  | 13.54080                               | 14.56                |
|                          |                    |                        | PART-PEAK | 3.39450                 | 3.39450      | 0.00    | 0.00          | 3.39450   | 3.39450                                | 3.65                 |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-19-R-S, V-R-S          | E-19-R-S           | ENERGY CHARGE (\$/KWH) | PEAK      | 0.26135                 | 0.27135      | 0.02653 | 0.00065       | 0.28853   | 0.29853                                | 0.30820              |
|                          |                    |                        | PART-PEAK | 0.10527                 | 0.11527      | 0.02653 | 0.00065       | 0.13245   | 0.14245                                | 0.14037              |
|                          |                    |                        | OFF-PEAK  | 0.04257                 | 0.05257      | 0.02653 | 0.00065       | 0.06975   | 0.07975                                | 0.07295              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    |                        | PART-PEAK | 0.06504                 | 0.07504      | 0.02653 | 0.00065       | 0.09222   | 0.10222                                | 0.09712              |
|                          |                    |                        | OFF-PEAK  | 0.04961                 | 0.05961      | 0.02653 | 0.00065       | 0.07679   | 0.08679                                | 0.08052              |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-19-R-P, V-R-P          | E-19-R-P           | ENERGY CHARGE (\$/KWH) | PEAK      | 0.24777                 | 0.25777      | 0.02653 | 0.00065       | 0.27495   | 0.28495                                | 0.29360              |
|                          |                    |                        | PART-PEAK | 0.09599                 | 0.10599      | 0.02653 | 0.00065       | 0.12317   | 0.13317                                | 0.13040              |
|                          |                    |                        | OFF-PEAK  | 0.03693                 | 0.04693      | 0.02653 | 0.00065       | 0.06411   | 0.07411                                | 0.06689              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    |                        | PART-PEAK | 0.05744                 | 0.06744      | 0.02653 | 0.00065       | 0.08462   | 0.09462                                | 0.08894              |
|                          |                    |                        | OFF-PEAK  | 0.04334                 | 0.05334      | 0.02653 | 0.00065       | 0.07052   | 0.08052                                | 0.07378              |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-19-R-T, V-R-T          | E-19-R-T           | ENERGY CHARGE (\$/KWH) | PEAK      | 0.24014                 | 0.25014      | 0.02653 | 0.00065       | 0.26732   | 0.27732                                | 0.28539              |
|                          |                    |                        | PART-PEAK | 0.09496                 | 0.10496      | 0.02653 | 0.00065       | 0.12214   | 0.13214                                | 0.12929              |
|                          |                    |                        | OFF-PEAK  | 0.03670                 | 0.04670      | 0.02653 | 0.00065       | 0.06388   | 0.07388                                | 0.06664              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    |                        | PART-PEAK | 0.05632                 | 0.06632      | 0.02653 | 0.00065       | 0.08350   | 0.09350                                | 0.08774              |
|                          |                    |                        | OFF-PEAK  | 0.04285                 | 0.05285      | 0.02653 | 0.00065       | 0.07003   | 0.08003                                | 0.07326              |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-20-S                   | E-20-S             | ENERGY CHARGE (\$/KWH) | PEAK      | 0.10355                 | 0.11355      | 0.02561 | 0.00060       | 0.12976   | 0.13976                                | 0.13755              |
|                          |                    |                        | PART-PEAK | 0.06316                 | 0.07316      | 0.02561 | 0.00060       | 0.08937   | 0.09937                                | 0.09412              |
|                          |                    |                        | OFF-PEAK  | 0.03542                 | 0.04542      | 0.02561 | 0.00060       | 0.06163   | 0.07163                                | 0.06430              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    |                        | PART-PEAK | 0.05729                 | 0.06729      | 0.02561 | 0.00060       | 0.08350   | 0.09350                                | 0.08781              |
|                          |                    |                        | OFF-PEAK  | 0.04226                 | 0.05226      | 0.02561 | 0.00060       | 0.06847   | 0.07847                                | 0.07165              |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK      | 13.41990                | 13.41990     | 0.00    | 0.00          | 13.41990  | 13.41990                               | 14.43                |
|                          |                    |                        | PART-PEAK | 3.31080                 | 3.31080      | 0.00    | 0.00          | 3.31080   | 3.31080                                | 3.56                 |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-20-P                   | E-20-P             | ENERGY CHARGE (\$/KWH) | PEAK      | 0.10768                 | 0.11768      | 0.02402 | 0.00059       | 0.13229   | 0.14229                                | 0.14039              |
|                          |                    |                        | PART-PEAK | 0.06323                 | 0.07323      | 0.02402 | 0.00059       | 0.08784   | 0.09784                                | 0.09260              |
|                          |                    |                        | OFF-PEAK  | 0.03590                 | 0.04590      | 0.02402 | 0.00059       | 0.06051   | 0.07051                                | 0.06321              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    |                        | PART-PEAK | 0.05737                 | 0.06737      | 0.02402 | 0.00059       | 0.08198   | 0.09198                                | 0.08630              |
|                          |                    |                        | OFF-PEAK  | 0.04261                 | 0.05261      | 0.02402 | 0.00059       | 0.06722   | 0.07722                                | 0.07043              |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK      | 14.70330                | 14.70330     | 0.00    | 0.00          | 14.70330  | 14.70330                               | 15.81000             |
|                          |                    |                        | PART-PEAK | 3.47820                 | 3.47820      | 0.00    | 0.00          | 3.47820   | 3.47820                                | 3.74000              |

| PG&E EQUIVALENT SCHEDULE | MBCP RATE SCHEDULE | CHARGE TYPE            | PERIOD    | MBchoice RATE (default) | MBprime RATE | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |
|--------------------------|--------------------|------------------------|-----------|-------------------------|--------------|---------|---------------|---|--|----------------------|
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-20-T                   | E-20-T             | ENERGY CHARGE (\$/KWH) | PEAK      | 0.06447                 | 0.07447      | 0.02259 | 0.00053       | 0.08759   | 0.09759                                | 0.09244              |
|                          |                    |                        | PART-PEAK | 0.05098                 | 0.06098      | 0.02259 | 0.00053       | 0.07410   | 0.08410                                | 0.07794              |
|                          |                    |                        | OFF-PEAK  | 0.03314                 | 0.04314      | 0.02259 | 0.00053       | 0.05626   | 0.06626                                | 0.05875              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK      | 17.52120                | 17.52120     | 0.00    | 0.00          | 17.52120  | 17.52120                               | 18.84000             |
|                          |                    |                        | PART-PEAK | 4.17570                 | 4.17570      | 0.00    | 0.00          | 4.17570   | 4.17570                                | 4.49000              |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-20-R-S                 | E-20-R-S           | ENERGY CHARGE (\$/KWH) | PEAK      | 0.23714                 | 0.24714      | 0.02561 | 0.00060       | 0.26335   | 0.27335                                | 0.28120              |
|                          |                    |                        | PART-PEAK | 0.09772                 | 0.10772      | 0.02561 | 0.00060       | 0.12393   | 0.13393                                | 0.13128              |
|                          |                    |                        | OFF-PEAK  | 0.03893                 | 0.04893      | 0.02561 | 0.00060       | 0.06514   | 0.07514                                | 0.06807              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-20-R-P                 | E-20-R-P           | ENERGY CHARGE (\$/KWH) | PEAK      | 0.25409                 | 0.26409      | 0.02402 | 0.00059       | 0.27870   | 0.28870                                | 0.29783              |
|                          |                    |                        | PART-PEAK | 0.09734                 | 0.10734      | 0.02402 | 0.00059       | 0.12195   | 0.13195                                | 0.12928              |
|                          |                    |                        | OFF-PEAK  | 0.03887                 | 0.04887      | 0.02402 | 0.00059       | 0.06348   | 0.07348                                | 0.06641              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| E-20-R-T                 | E-20-R-T           | ENERGY CHARGE (\$/KWH) | PEAK      | 0.24800                 | 0.25800      | 0.02259 | 0.00053       | 0.27112   | 0.28112                                | 0.28979              |
|                          |                    |                        | PART-PEAK | 0.09117                 | 0.10117      | 0.02259 | 0.00053       | 0.11429   | 0.12429                                | 0.12115              |
|                          |                    |                        | OFF-PEAK  | 0.03530                 | 0.04530      | 0.02259 | 0.00053       | 0.05842   | 0.06842                                | 0.06108              |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| <b>SUMMER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |
| <b>WINTER</b>            |                    |                        |           |                         |              |         |               |   |  |                      |

**STANDBY CUSTOMERS**

| PG&E EQUIVALENT SCHEDULE   | MBCP RATE SCHEDULE | CHARGE TYPE                | PERIOD        | MBchoice RATE (default) | MBprime RATE  | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |         |         |
|----------------------------|--------------------|----------------------------|---------------|-------------------------|---------------|---------|---------------|---|--|----------------------|---------|---------|
| STANDBY - S                | STOUS              | ENERGY CHARGE (\$/KWH)     | <b>SUMMER</b> |                         |               |         |               |   |  |                      |         |         |
|                            |                    |                            | PEAK          | 0.09231                 | 0.10231       | 0.02058 | 0.00049       | 0.11338   | 0.12338                                | 0.12033              |         |         |
|                            |                    |                            | PART-PEAK     | 0.07456                 | 0.08456       | 0.02058 | 0.00049       | 0.09563   | 0.10563                                | 0.10124              |         |         |
|                            |                    | OFF-PEAK                   | 0.05132       | 0.06132                 | 0.02058       | 0.00049 | 0.07239       | 0.08239   | 0.07625                                |                      |         |         |
|                            |                    | RESERVATION CHARGE (\$/KW) | <b>WINTER</b> |                         |               |         |               |   |  |                      |         |         |
|                            |                    |                            | PART-PEAK     | 0.07739                 | 0.08739       | 0.02058 | 0.00049       | 0.09846   | 0.10846                                | 0.10428              |         |         |
|                            |                    |                            | OFF-PEAK      | 0.05939                 | 0.06939       | 0.02058 | 0.00049       | 0.08046   | 0.09046                                | 0.08493              |         |         |
|                            |                    | YEAR-ROUND                 | 0.43710       | 0.43710                 | 0.00          | 0.00    | 0.43710       | 0.43710   | 0.47000                                |                      |         |         |
|                            |                    | STANDBY - P                | STOUP         | ENERGY CHARGE (\$/KWH)  | <b>SUMMER</b> |         |               |   |  |                      |         |         |
|                            |                    |                            |               |                         | PEAK          | 0.09231 | 0.10231       | 0.02058   | 0.00049                                | 0.11338              | 0.12338 | 0.12033 |
| PART-PEAK                  | 0.07456            |                            |               |                         | 0.08456       | 0.02058 | 0.00049       | 0.09563   | 0.10563                                | 0.10124              |         |         |
| OFF-PEAK                   | 0.05132            |                            |               | 0.06132                 | 0.02058       | 0.00049 | 0.07239       | 0.08239   | 0.07625                                |                      |         |         |
| RESERVATION CHARGE (\$/KW) | <b>WINTER</b>      |                            |               |                         |               |         |               |   |  |                      |         |         |
|                            | PART-PEAK          |                            |               | 0.07739                 | 0.08739       | 0.02058 | 0.00049       | 0.09846   | 0.10846                                | 0.10428              |         |         |
|                            | OFF-PEAK           |                            |               | 0.05939                 | 0.06939       | 0.02058 | 0.00049       | 0.08046   | 0.09046                                | 0.08493              |         |         |
| YEAR-ROUND                 | 0.43710            |                            |               | 0.43710                 | 0.00          | 0.00    | 0.43710       | 0.43710   | 0.47000                                |                      |         |         |
| STANDBY - T                | STOUT              |                            |               | ENERGY CHARGE (\$/KWH)  | <b>SUMMER</b> |         |               |   |  |                      |         |         |
|                            |                    |                            |               |                         | PEAK          | 0.07364 | 0.08364       | 0.02058   | 0.00049                                | 0.09471              | 0.10471 | 0.10025 |
|                            |                    | PART-PEAK                  | 0.05901       |                         | 0.06901       | 0.02058 | 0.00049       | 0.08008   | 0.09008                                | 0.08452              |         |         |
|                            |                    | OFF-PEAK                   | 0.03966       | 0.04966                 | 0.02058       | 0.00049 | 0.06073       | 0.07073   | 0.06371                                |                      |         |         |
|                            |                    | RESERVATION CHARGE (\$/KW) | <b>WINTER</b> |                         |               |         |               |   |  |                      |         |         |
|                            |                    |                            | PART-PEAK     | 0.06131                 | 0.07131       | 0.02058 | 0.00049       | 0.08238   | 0.09238                                | 0.08699              |         |         |
|                            |                    |                            | OFF-PEAK      | 0.04644                 | 0.05644       | 0.02058 | 0.00049       | 0.06751   | 0.07751                                | 0.07101              |         |         |
|                            |                    | YEAR-ROUND                 | 0.36270       | 0.36270                 | 0.00          | 0.00    | 0.36270       | 0.36270   | 0.39                                   |                      |         |         |
|                            |                    | SB-S                       | SB-S          | ENERGY CHARGE (\$/KWH)  | <b>SUMMER</b> |         |               |   |  |                      |         |         |
|                            |                    |                            |               |                         | PEAK          | 0.08762 | 0.09762       | 0.02058   | 0.00049                                | 0.10869              | 0.11869 | 0.11529 |
| PART-PEAK                  | 0.07639            |                            |               |                         | 0.08639       | 0.02058 | 0.00049       | 0.09746   | 0.10746                                | 0.10321              |         |         |
| OFF-PEAK                   | 0.06389            |                            |               | 0.07389                 | 0.02058       | 0.00049 | 0.08496       | 0.09496   | 0.08977                                |                      |         |         |
| RESERVATION CHARGE (\$/KW) | <b>WINTER</b>      |                            |               |                         |               |         |               |   |  |                      |         |         |
|                            | PART-PEAK          |                            |               | 0.08313                 | 0.09313       | 0.02058 | 0.00049       | 0.10420   | 0.11420                                | 0.11046              |         |         |
|                            | OFF-PEAK           |                            |               | 0.06495                 | 0.07495       | 0.02058 | 0.00049       | 0.08602   | 0.09602                                | 0.09091              |         |         |
| SUPER OFF-PEAK             | 0.02461            |                            |               | 0.03461                 | 0.02058       | 0.00049 | 0.04568       | 0.05568   | 0.04753                                |                      |         |         |
| YEAR-ROUND                 | 0.28830            |                            |               | 0.28830                 | 0.00          | 0.00    | 0.28830       | 0.28830   | 0.31                                   |                      |         |         |
| SB-P                       | SB-P               |                            |               | ENERGY CHARGE (\$/KWH)  | <b>SUMMER</b> |         |               |   |  |                      |         |         |
|                            |                    | PEAK                       | 0.08762       |                         | 0.09762       | 0.02058 | 0.00049       | 0.10869   | 0.11869                                | 0.11529              |         |         |
|                            |                    | PART-PEAK                  | 0.07639       |                         | 0.08639       | 0.02058 | 0.00049       | 0.09746   | 0.10746                                | 0.10321              |         |         |
|                            |                    | OFF-PEAK                   | 0.06389       | 0.07389                 | 0.02058       | 0.00049 | 0.08496       | 0.09496   | 0.08977                                |                      |         |         |
|                            |                    | RESERVATION CHARGE (\$/KW) | <b>WINTER</b> |                         |               |         |               |   |  |                      |         |         |
|                            |                    |                            | PART-PEAK     | 0.08313                 | 0.09313       | 0.02058 | 0.00049       | 0.10420   | 0.11420                                | 0.11046              |         |         |
|                            |                    |                            | OFF-PEAK      | 0.06495                 | 0.07495       | 0.02058 | 0.00049       | 0.08602   | 0.09602                                | 0.09091              |         |         |
|                            |                    | SUPER OFF-PEAK             | 0.02461       | 0.03461                 | 0.02058       | 0.00049 | 0.04568       | 0.05568   | 0.04753                                |                      |         |         |
|                            |                    | YEAR-ROUND                 | 0.28830       | 0.28830                 | 0.00          | 0.00    | 0.28830       | 0.28830   | 0.31                                   |                      |         |         |
|                            |                    | SB-T                       | SB-T          | ENERGY CHARGE (\$/KWH)  | <b>SUMMER</b> |         |               |   |  |                      |         |         |
| PEAK                       | 0.07487            |                            |               |                         | 0.08487       | 0.02058 | 0.00049       | 0.09594   | 0.10594                                | 0.10157              |         |         |
| PART-PEAK                  | 0.06406            |                            |               |                         | 0.07406       | 0.02058 | 0.00049       | 0.08513   | 0.09513                                | 0.08995              |         |         |
| OFF-PEAK                   | 0.05202            |                            |               | 0.06202                 | 0.02058       | 0.00049 | 0.07309       | 0.08309   | 0.07701                                |                      |         |         |
| RESERVATION CHARGE (\$/KW) | <b>WINTER</b>      |                            |               |                         |               |         |               |   |  |                      |         |         |
|                            | PART-PEAK          |                            |               | 0.07062                 | 0.08062       | 0.02058 | 0.00049       | 0.09169   | 0.10169                                | 0.09701              |         |         |
|                            | OFF-PEAK           |                            |               | 0.05314                 | 0.06314       | 0.02058 | 0.00049       | 0.07421   | 0.08421                                | 0.07821              |         |         |
| SUPER OFF-PEAK             | 0.01322            |                            |               | 0.02322                 | 0.02058       | 0.00049 | 0.03429       | 0.04429   | 0.03528                                |                      |         |         |
| YEAR-ROUND                 | 0.15810            |                            |               | 0.15810                 | 0.00          | 0.00    | 0.15810       | 0.15810   | 0.17                                   |                      |         |         |



**AGRICULTURAL CUSTOMERS**

| PG&E EQUIVALENT SCHEDULE     | MBCP RATE SCHEDULE | CHARGE TYPE            | PERIOD                                  | MBchoice RATE (default) | MBprime RATE | PCIA      | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |  |  |
|------------------------------|--------------------|------------------------|---|-------------------------|--------------|-----------|---------------|---|--|----------------------|--|--|
| AG-1-A                       | AG-1-A             | ENERGY CHARGE (\$/KWH) | SUMMER                                  | 0.08252                 | 0.09252      | 0.02399   | 0.00059       | 0.10710   | 0.11710                                | 0.11331              |  |  |
|                              |                    |                        | WINTER                                  | 0.06259                 | 0.07259      | 0.02399   | 0.00059       | 0.08717   | 0.09717                                | 0.09188              |  |  |
|                              |                    | CONNECTED LOAD (\$/HP) | SUMMER MAX                              | 1.45080                 | 1.45080      | 0.00      | 0.00          | 1.45080   | 1.45080                                | 1.56                 |  |  |
| AG-1-B                       | AG-1-B             | ENERGY CHARGE (\$/KWH) | SUMMER                                  | 0.08601                 | 0.09601      | 0.02399   | 0.00059       | 0.11059   | 0.12059                                | 0.11706              |  |  |
|                              |                    |                        | WINTER                                  | 0.06308                 | 0.07308      | 0.02399   | 0.00059       | 0.08766   | 0.09766                                | 0.09241              |  |  |
|                              |                    | DEMAND CHARGE (\$/KW)  | SUMMER MAX                              | 2.18550                 | 2.18550      | 0.00      | 0.00          | 2.18550   | 2.18550                                | 2.35                 |  |  |
|                              |                    |                        | SUMMER PRIMARY VOLTAGE DISCOUNT (\$/KW) | (0.80910)               | (0.80910)    | 0.00      | 0.00          | (0.80910)   | (0.80910)                              | (0.87)               |  |  |
| <b>SUMMER</b>                |                    |                        |   |                         |              |           |               |   |  |                      |  |  |
| AG-RA                        | AG-RA              | ENERGY CHARGE (\$/KWH) | PEAK                                    | 0.25879                 | 0.26879      | 0.02399   | 0.00059       | 0.28337   | 0.29337                                | 0.30285              |  |  |
|                              |                    |                        | OFF-PEAK                                | 0.05107                 | 0.06107      | 0.02399   | 0.00059       | 0.07565   | 0.08565                                | 0.07949              |  |  |
|                              |                    | <b>WINTER</b>          |   |                         |              |           |               |   |  |                      |  |  |
|                              |                    | PART-PEAK              | 0.05847                                 | 0.06847                 | 0.02399      | 0.00059   | 0.08305       | 0.09305   | 0.08745                                |                      |  |  |
|                              |                    |                        | OFF-PEAK                                | 0.04697                 | 0.05697      | 0.02399   | 0.00059       | 0.07155   | 0.08155                                | 0.07508              |  |  |
| CONNECTED LOAD (\$/HP)       | SUMMER             | 1.43220                | 1.43220                                 | 0.00                    | 0.00         | 1.43220   | 1.43220       | 1.54  |  |                      |  |  |
| <b>SUMMER</b>                |                    |                        |   |                         |              |           |               |   |  |                      |  |  |
| AG-RB                        | AG-RB              | ENERGY CHARGE (\$/KWH) | PEAK                                    | 0.23235                 | 0.24235      | 0.02399   | 0.00059       | 0.25693   | 0.26693                                | 0.27442              |  |  |
|                              |                    |                        | OFF-PEAK                                | 0.05042                 | 0.06042      | 0.02399   | 0.00059       | 0.07500   | 0.08500                                | 0.07880              |  |  |
|                              |                    | <b>WINTER</b>          |   |                         |              |           |               |   |  |                      |  |  |
|                              |                    | PART-PEAK              | 0.04467                                 | 0.05467                 | 0.02399      | 0.00059   | 0.06925       | 0.07925   | 0.07261                                |                      |  |  |
|                              |                    |                        | OFF-PEAK                                | 0.03519                 | 0.04519      | 0.02399   | 0.00059       | 0.05977   | 0.06977                                | 0.06242              |  |  |
|                              |                    | <b>SUMMER</b>          |   |                         |              |           |               |   |  |                      |  |  |
|                              |                    | DEMAND CHARGE (\$/KW)  | MAX                                     | 2.1204                  | 2.1204       | 0.00      | 0.00          | 2.1204  | 2.1204                                 | 2.28                 |  |  |
| PEAK                         | 2.3901             |                        | 2.3901                                  | 0.00                    | 0.00         | 2.3901    | 2.3901        | 2.57  |  |                      |  |  |
| PRIMARY VOLTAGE DISCOUNT MAX | (0.5394)           |                        | (0.5394)                                | 0.00                    | 0.00         | (0.5394)  | (0.5394)      | (0.58)  |  |                      |  |  |
| <b>SUMMER</b>                |                    |                        |   |                         |              |           |               |   |  |                      |  |  |
| AG-VA                        | AG-VA              | ENERGY CHARGE (\$/KWH) | PEAK                                    | 0.22405                 | 0.23405      | 0.02399   | 0.00059       | 0.24863   | 0.25863                                | 0.26549              |  |  |
|                              |                    |                        | OFF-PEAK                                | 0.04822                 | 0.05822      | 0.02399   | 0.00059       | 0.07280   | 0.08280                                | 0.07643              |  |  |
|                              |                    | <b>WINTER</b>          |   |                         |              |           |               |   |  |                      |  |  |
|                              |                    | PART-PEAK              | 0.05687                                 | 0.06687                 | 0.02399      | 0.00059   | 0.08145       | 0.09145   | 0.08573                                |                      |  |  |
|                              |                    |                        | OFF-PEAK                                | 0.04560                 | 0.05560      | 0.02399   | 0.00059       | 0.07018   | 0.08018                                | 0.07361              |  |  |
| CONNECTED LOAD (\$/HP)       | SUMMER             | 1.49730                | 1.49730                                 | 0.00                    | 0.00         | 1.49730   | 1.49730       | 1.61  |  |                      |  |  |
| <b>SUMMER</b>                |                    |                        |   |                         |              |           |               |   |  |                      |  |  |
| AG-VB                        | AG-VB              | ENERGY CHARGE (\$/KWH) | PEAK                                    | 0.20796                 | 0.21796      | 0.02399   | 0.00059       | 0.23254   | 0.24254                                | 0.24819              |  |  |
|                              |                    |                        | OFF-PEAK                                | 0.04899                 | 0.05899      | 0.02399   | 0.00059       | 0.07357   | 0.08357                                | 0.07726              |  |  |
|                              |                    | <b>WINTER</b>          |   |                         |              |           |               |   |  |                      |  |  |
|                              |                    | PART-PEAK              | 0.04534                                 | 0.05534                 | 0.02399      | 0.00059   | 0.06992       | 0.07992   | 0.07333                                |                      |  |  |
|                              |                    |                        | OFF-PEAK                                | 0.03571                 | 0.04571      | 0.02399   | 0.00059       | 0.06029   | 0.07029                                | 0.06298              |  |  |
|                              |                    | <b>SUMMER</b>          |   |                         |              |           |               |   |  |                      |  |  |
|                              |                    | DEMAND CHARGE (\$/KW)  | MAX PEAK                                | 2.52960                 | 2.52960      | 0.00      | 0.00          | 2.52960   | 2.52960                                | 2.72                 |  |  |
| MAX                          | 1.97160            |                        | 1.97160                                 | 0.00                    | 0.00         | 1.97160   | 1.97160       | 2.12  |  |                      |  |  |
| PRIMARY VOLTAGE DISCOUNT     | (0.57660)          |                        | (0.57660)                               | 0.00                    | 0.00         | (0.57660) | (0.57660)     | (0.62)  |  |                      |  |  |

| PG&E EQUIVALENT SCHEDULE | MBCP RATE SCHEDULE | CHARGE TYPE            | PERIOD                                  | MBchoice RATE (default) | MBprime RATE | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |  |
|--------------------------|--------------------|------------------------|---|-------------------------|--------------|---------|---------------|---|--|----------------------|--|
| <b>SUMMER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
| AG-4-A, AG-4-D           | AG-4-A             | ENERGY CHARGE (\$/KWH) | PEAK                                    | 0.14583                 | 0.15583      | 0.02399 | 0.00059       | 0.17041   | 0.18041                                | 0.18139              |  |
|                          |                    |                        | OFF-PEAK                                | 0.05242                 | 0.06242      | 0.02399 | 0.00059       | 0.07700   | 0.08700                                | 0.08095              |  |
| <b>WINTER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
|                          |                    |                        | PART-PEAK                               | 0.05666                 | 0.06666      | 0.02399 | 0.00059       | 0.08124   | 0.09124                                | 0.08550              |  |
|                          |                    |                        | OFF-PEAK                                | 0.04553                 | 0.05553      | 0.02399 | 0.00059       | 0.07011   | 0.08011                                | 0.07354              |  |
|                          |                    | CONNECTED LOAD (\$/HP) | SUMMER                                  | 1.46940                 | 1.46940      | 0.00    | 0.00          | 1.46940   | 1.46940                                | 1.58                 |  |
| <b>SUMMER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
| AG-4-B, AG-4-E           | AG-4-B             | ENERGY CHARGE (\$/KWH) | PEAK                                    | 0.10627                 | 0.11627      | 0.02399 | 0.00059       | 0.13085   | 0.14085                                | 0.13885              |  |
|                          |                    |                        | OFF-PEAK                                | 0.05367                 | 0.06367      | 0.02399 | 0.00059       | 0.07825   | 0.08825                                | 0.08229              |  |
| <b>WINTER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
|                          |                    |                        | PART-PEAK                               | 0.05187                 | 0.06187      | 0.02399 | 0.00059       | 0.07645   | 0.08645                                | 0.08035              |  |
|                          |                    |                        | OFF-PEAK                                | 0.04128                 | 0.05128      | 0.02399 | 0.00059       | 0.06586   | 0.07586                                | 0.06897              |  |
| <b>SUMMER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
|                          |                    | DEMAND CHARGE (\$/KW)  | MAX                                     | 2.58540                 | 2.58540      | 0.00    | 0.00          | 2.58540   | 2.58540                                | 2.78                 |  |
|                          |                    |                        | PEAK                                    | 2.75280                 | 2.75280      | 0.00    | 0.00          | 2.75280   | 2.75280                                | 2.96                 |  |
|                          |                    |                        | PRIMARY VOLTAGE                         |                         |              |         |               |   |  |                      |  |
|                          |                    |                        | MAX DISCOUNT                            | (0.64170)               | (0.64170)    | 0.00    | 0.00          | (0.64170)   | (0.64170)                              | (0.69)               |  |
| <b>SUMMER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
| AG-4-C, AG-4-F           | AG-4-C             | ENERGY CHARGE (\$/KWH) | PEAK                                    | 0.12549                 | 0.13549      | 0.02399 | 0.00059       | 0.15007   | 0.16007                                | 0.15952              |  |
|                          |                    |                        | PART-PEAK                               | 0.06259                 | 0.07259      | 0.02399 | 0.00059       | 0.08717   | 0.09717                                | 0.09188              |  |
|                          |                    |                        | OFF-PEAK                                | 0.03972                 | 0.04972      | 0.02399 | 0.00059       | 0.06430   | 0.07430                                | 0.06729              |  |
| <b>WINTER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
|                          |                    |                        | PART-PEAK                               | 0.04621                 | 0.05621      | 0.02399 | 0.00059       | 0.07079   | 0.08079                                | 0.07427              |  |
|                          |                    |                        | OFF-PEAK                                | 0.03639                 | 0.04639      | 0.02399 | 0.00059       | 0.06097   | 0.07097                                | 0.06371              |  |
| <b>SUMMER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
|                          |                    | DEMAND CHARGE (\$/KW)  | PEAK                                    | 6.38910                 | 6.38910      | 0.00    | 0.00          | 6.38910   | 6.38910                                | 6.87                 |  |
|                          |                    |                        | PART-PEAK                               | 1.08810                 | 1.08810      | 0.00    | 0.00          | 1.08810   | 1.08810                                | 1.17                 |  |
|                          |                    |                        | PRIMARY VOLTAGE DISCOUNT PEAK           | (1.10670)               | (1.10670)    | 0.00    | 0.00          | (1.10670)   | (1.10670)                              | (1.19)               |  |
|                          |                    |                        | TRANSMISSION VOLTAGE DISCOUNT PEAK      | (2.03670)               | (2.03670)    | 0.00    | 0.00          | (2.03670)   | (2.03670)                              | (2.19)               |  |
|                          |                    |                        | TRANSMISSION VOLTAGE DISCOUNT PART-PEAK | 0.01860                 | 0.01860      | 0.00    | 0.00          | 0.01860   | 0.01860                                | 0.02                 |  |
|                          |                    |                        |   |                         |              |         |               |   |  |                      |  |
| <b>SUMMER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
| AG-5-A, AG-5-D           | AG-5-A             | ENERGY CHARGE (\$/KWH) | PEAK                                    | 0.13389                 | 0.14389      | 0.02399 | 0.00059       | 0.15847   | 0.16847                                | 0.16855              |  |
|                          |                    |                        | OFF-PEAK                                | 0.05678                 | 0.06678      | 0.02399 | 0.00059       | 0.08136   | 0.09136                                | 0.08563              |  |
| <b>WINTER</b>            |                    |                        |   |                         |              |         |               |   |  |                      |  |
|                          |                    |                        | PART-PEAK                               | 0.06035                 | 0.07035      | 0.02399 | 0.00059       | 0.08493   | 0.09493                                | 0.08947              |  |
|                          |                    |                        | OFF-PEAK                                | 0.04872                 | 0.05872      | 0.02399 | 0.00059       | 0.07330   | 0.08330                                | 0.07697              |  |
|                          |                    | CONNECTED LOAD (\$/HP) | SUMMER                                  | 3.98970                 | 3.98970      | 0.00    | 0.00          | 3.98970   | 3.98970                                | 4.29                 |  |



**STREET AND OUTDOOR LIGHTING**

| PG&E EQUIVALENT SCHEDULE | MBCP RATE SCHEDULE                          | CHARGE TYPE            | PERIOD     | MBchoice RATE (default) | MBprime RATE | PCIA    | FRANCHISE FEE | MBchoice (default) RATE WITH PCIA & FRANCHISE FEE | MBprime RATE WITH PCIA & FRANCHISE FEE | PG&E GENERATION RATE |
|--------------------------|---|------------------------|------------|-------------------------|--------------|---------|---------------|---|--|----------------------|
| LS-1, LS-2, LS-3, OL-1   | STREET LIGHTING (LS-1, LS-2, LS-3 and OL-1) | ENERGY CHARGE (\$/KWH) | YEAR-ROUND | 0.06523                 | 0.07523      | 0.02322 | 0.00053       | 0.08898   | 0.09898                                | 0.09389              |
| TC-1                     | TC-1  | ENERGY CHARGE (\$/KWH) | YEAR-ROUND | 0.07168                 | 0.08168      | 0.02699 | 0.00066       | 0.09933   | 0.10933                                | 0.10473              |